

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/814,992	03/31/2004	Ruvin Deych	56229-153 (ANA-248)	8176
7.	590 11/30/2005		EXAMINER	
Toby H. Kusmer			HO, ALLEN C	
McDermott, W 28 State Street			ART UNIT	PAPER NUMBER
Boston, MA	02109		2882	
			DATE MAILED: 11/30/2005	5

Please find below and/or attached an Office communication concerning this application or proceeding.

	_		<i>H</i> ,
	Application No.	Applicant(s)	
	10/814,992	DEYCH ET AL.	
Office Action Summary	Examiner	Art Unit	
	Allen C. Ho	2882	
The MAILING DATE of this communication Period for Reply	appears on the cover sheet w	ith the correspondence address	
A SHORTENED STATUTORY PERIOD FOR RE WHICHEVER IS LONGER, FROM THE MAILING  - Extensions of time may be available under the provisions of 37 CFr after SIX (6) MONTHS from the mailing date of this communication  - If NO period for reply is specified above, the maximum statutory pe  - Failure to reply within the set or extended period for reply will, by st. Any reply received by the Office later than three months after the mearned patent term adjustment. See 37 CFR 1.704(b).	G DATE OF THIS COMMUNI R 1.136(a). In no event, however, may a . riod will apply and will expire SIX (6) MOI atute, cause the application to become Al	CATION. reply be timely filed ITHS from the mailing date of this communication BANDONED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 3	1 March 2004.		
2a) ☐ This action is <b>FINAL</b> . 2b) ☑ 1	This action is non-final.		
3) Since this application is in condition for allo	wance except for formal mat	ters, prosecution as to the merits is	
closed in accordance with the practice unde	er <i>Ex parte Quayle</i> , 1935 C.[	). 11, 453 O.G. 213.	
Disposition of Claims			
4) Claim(s) 1-22 is/are pending in the applicat	tion.		
4a) Of the above claim(s) is/are with	drawn from consideration.		
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>1-22</u> is/are rejected.			
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction an	id/or election requirement.		
Application Papers			
9)⊠ The specification is objected to by the Exam	niner.		
10)⊠ The drawing(s) filed on 31 March 2004 is/ar	e: a)⊠ accepted or b)⊡ ob	jected to by the Examiner.	
Applicant may not request that any objection to	the drawing(s) be held in abeya	nce. See 37 CFR 1.85(a).	
Replacement drawing sheet(s) including the cor	·		).
11) ☐ The oath or declaration is objected to by the	Examiner. Note the attached	d Office Action or form PTO-152.	
Priority under 35 U.S.C. § 119	,		
12) ☐ Acknowledgment is made of a claim for fore a) ☐ All b) ☐ Some * c) ☐ None of:	eign priority under 35 U.S.C. §	§ 119(a)-(d) or (f).	
1. Certified copies of the priority docum	ents have been received.		
2. Certified copies of the priority docum			
3. Copies of the certified copies of the p	•	received in this National Stage	
application from the International But		received	
* See the attached detailed Office action for a	list of the certified copies not	received.	
Attachment(s)			
1) Notice of References Cited (PTO-892)		Summary (PTO-413)	
<ol> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO-1449 or PTO/SB Paper No(s)/Mail Date <u>09Aug2004</u>.</li> </ol>		s)/Mail Date nformal Patent Application (PTO-152) 	

#### **DETAILED ACTION**

# Specification

1. The disclosure is objected to because of the following informalities:

Paragraph [0050], line 7, "□□" should be replaced.

Appropriate correction is required.

### Claim Objections

- 2. Claim 1 is objected to because of the following informalities:
  - (1) Line 7, --operating-- should be inserted between "first" and "voltage";
  - (2) Line 13, --operating-- should be inserted between "second" and "voltage".

Appropriate correction is required.

- 3. Claim 16 is objected to because of the following informalities:
  - (1) Line 9, " $\Delta_{t1}$ " should be replaced by -- $\Delta t_1$ --;
  - (2) Line 10, " $\Delta_{t2}$ " should be replaced by -- $\Delta t_2$ --;
  - (3) Line 12, --operating-- should be inserted between "first" and "voltage";
  - (4) Line 21, --operating-- should be inserted between "second" and "voltage".

Appropriate correction is required.

4. Claim 18 is objected to because of the following informalities:

Claim 18 recites the limitations "said electron source" and "said x-ray target". There is insufficient antecedent basis for these limitations in the claim.

Appropriate correction is required.

Application/Control Number: 10/814,992 Page 3

Art Unit: 2882

Claim Rejections - 35 USC § 112

5. The following is a quotation of the first paragraph of 35 U.S.C. 112:

> The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode

contemplated by the inventor of carrying out his invention.

6. Claims 1, 2, 4-17, and 19-22 are rejected under 35 U.S.C. 112, first paragraph, because

the specification, while being enabling for determining operating voltage between a cathode and

an x-ray emissive target, does not reasonably provide enablement for determining the operating

voltage for other components in an x-ray apparatus. The specification does not enable any

person skilled in the art to which it pertains, or with which it is most nearly connected, to make

and use the invention commensurate in scope with these claims.

The specification only discloses determining and setting operating voltages between a

cathode and an anode in an x-ray tube. The specification does not enable any person skilled in

the art to determine operating voltage for other components, such as an x-ray detector or a

controller.

7. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the

subject matter which the applicant regards as his invention.

8. Claim 18 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for

failing to particularly point out and distinctly claim the subject matter which applicant regards as

the invention.

Claim 18 recites "said processor is further configured to determine the optimal values of

one or more x-ray exposure parameters, and wherein said x-ray exposure parameters include at

Application/Control Number: 10/814,992 Page 4

Art Unit: 2882

least one of operating voltage (kVp), current (mA), and size of focal spot;" However, claim 16 claims a processor configured to calculate an optimal operating voltage. Therefore, operating voltage should be deleted from this list of x-ray exposure parameters.

## Claim Rejections - 35 USC § 102

9. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -.

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 10. Claims 1, 2, 7, 8, 11, and 15 are rejected under 35 U.S.C. 102(b) as being anticipated by Unger et al. (U. S. Patent No. 6,501,819 B2).

With regard to claim 1, Unger *et al*. disclosed a method for optimizing radiographic image quality by irradiating the object with x-rays from an x-ray apparatus during an initial period of an x-ray exposure, the method comprising:

- A. determining a first operating voltage level kVp<sub>0</sub> for initial operation of the x-ray apparatus (default exposure settings, column 4, lines 7-14);
- B. during a fist sampling interval  $\Delta t_1$  in the beginning of the x-ray exposure period, operating the x-ray apparatus at the first voltage level kVp<sub>0</sub> and using one or more sensors to detect x-rays that have passed through at least a portion of the object during the interval  $\Delta t_1$  (first image, column 4, lines 7-14);
- C. after the first sampling interval  $\Delta t_1$ , processing the output signals from the sensors to determine a second operating voltage level kVp<sub>1</sub> (column 5, lines 22-33);

D. during a second sampling interval  $\Delta t_2$ , operating the x-ray apparatus at the second voltage level kVp<sub>1</sub> and using the sensors to detect x-rays that have passed through at least a portion of the object during the interval  $\Delta t_2$  (second image, column 5, lines 34-36);

E. after the second sampling interval  $\Delta t_2$ , processing the sensor output signals to determine an optimal value  $kVp_2$  for the operating voltage level, and setting the operating voltage level of the x-ray apparatus to the optimal value  $kVp_2$  for the remainder of the x-ray exposure period (adjusting exposure settings of  $3^{rd}$  image based on  $2^{nd}$  image, column 8, lines 25-27).

With regard to claim 2, Unger et al. disclosed a method in accordance with claim 1, wherein the x-ray apparatus comprises an x-ray source (required to produce x-rays).

With regard to claim 7, Unger *et al.* disclosed a method in accordance with claim 1, wherein the object comprises anatomical tissue of a patient, and wherein the optimal value of the operating voltage are chosen so that the patient's exposure is substantially minimized when the x-ray apparatus is operated at the optimal value (column 8, line 67 - column 9, line 1).

With regard to claim 8, Unger et al. disclosed a method in accordance with claim 2, wherein the x-ray imaging system comprises a flat panel detector (220).

With regard to claim 11, Unger *et al.* disclosed a method in accordance with claim 1, wherein the object comprises anatomical tissue of a patient, and further comprising the step of measuring the thickness of the tissue before the step of determining the first and second operating voltage levels (column 6, lines 15-26).

With regard to claim 15, Unger *et al.* disclosed a method in accordance with claim 1, wherein steps B and C are repeated for a plurality of n sampling intervals during which the x-ray

apparatus is operated at corresponding operating voltage levels, so that the optimal voltage level  $kVp_2$  is determined based on sensor output signals generated while the x-ray apparatus was operated at voltage level  $kVp_1^n$  during a sampling interval  $\Delta t_1^n$  (column 8, lines 25-27).

# Claim Rejections - 35 USC § 103

- 11. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 12. Claims 3 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Unger *et al.* (U. S. Patent No. 6,501,819 B2) as applied to claim 2 above, and further in view of Macovski (U. S. Patent No. 4,686,695).

With regard to claim 3, Unger *et al*. disclosed a method in accordance with claim 2. However, Unger *et al*. failed to teach that the operating voltage is the accelerating voltage between an electron source and an x-ray emissive target within the x-ray source.

Macovski disclosed an x-ray source comprising an electron source (12) and an x-ray emissive target (13). Macovski taught that the energy of the x-rays could be changed by changing the accelerating voltage between the electron source and the x-ray emissive target within the x-ray source (column 5, lines 40-46).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to provide an x-ray source having an electron source and an x-ray emissive

target and to adjust the accelerating voltage between the electron source and the x-ray emissive

target, since a person would be motivated to change the energy of the x-rays.

With regard to claims 4 and 5, Unger et al. and Macovski disclosed a method in

Page 7

accordance with claim 3, further comprising determining the optimal values of additional x-ray

exposure parameters comprising x-ray tube current (column 5, lines 30-33).

13. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Unger et al. (U. S.

Patent No. 6,501,819 B2) as applied to claim 1 above.

With regard to claim 6, Unger et al. disclosed a method in accordance with claim 1.

However, Unger et al. failed to teach that each sampling interval is relatively small compared to

the x-ray exposure period.

It would have been obvious to a person of ordinary skill in the art at the time the

invention was made to select sampling intervals that are relatively small compared with the x-ray

exposure period, since a person would be motivated to reduce x-ray dose received by the patient.

Allowable Subject Matter

14. Claim 18 would be allowable if rewritten to overcome the rejection(s) under 35

U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of

the base claim and any intervening claims.

15. The following is a statement of reasons for the indication of allowable subject matter:

With regard to claim 18, although the prior art discloses an x-ray apparatus comprising an

x-ray source comprising an electron source and an x-ray target, an x-ray imaging system

configured to receive x-rays that have been emitted from the x-ray source and that have passed

through the object and to generate an image of the object from the received x-rays, and a controller configured to adjust the accelerating voltage between the electron source and the x-ray target in the x-ray source, it fails to teach or fairly suggest that the x-ray apparatus further comprises one or more sensors disposed between the object and the x-ray imaging system, the sensors being configured to detect x-rays and to generate output signals representative of the attenuated intensity of the detected x-rays, and a processor configured to determine operating voltage levels by processing the output signals generated by the sensors as claimed.

#### Conclusion

- 16. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:
  - (1) Green et al. (U. S. Patent No. 6,768,784 B1) disclosed x-ray image enhancement.
  - (2) Alving et al. (U. S. Patent No. 6,594,339 B1) disclosed an x-ray examination apparatus with exposure control.
  - Meulenbrugge (U. S. Patent No. 6,442,238 B2) disclosed sensors (18) positioned (3) between an x-ray imaging system (8) and an object (9).
  - (4) Joosten (U. S. Patent No. 6,330,302 B1) disclosed method and device for forming an image of an object from plurality of images.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Allen C. Ho whose telephone number is (571) 272-2491. The examiner can normally be reached on Monday - Friday from 8:00 am - 5:00 pm.

Page 9

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Edward J. Glick can be reached at (571) 272-2490. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

allen C. Ho

Allen C. Ho Primary Examiner Art Unit 2882

23 November 2005